Towards a Taxonomy of Human Resource Allocation Criteria

Michael Arias* (0000-0003-1014-342X), Jorge Munoz-Gama (0000-0002-6908-3911), and Marcos Sepúlveda (000-0002-9467-7666)

Computer Science Department, School of Engineering Pontificia Universidad Católica de Chile, Santiago, Chile {m.arias,jmun}@uc.cl, marcos@ing.puc.cl

Abstract. Allocating the most appropriate resource to execute the activities of a business process is a key aspect within the organizational perspective. An optimal selection of the resources that are in charge of executing the activities may contribute to improve the efficiency and the performance of the business processes. Despite the existence of resource metamodels that seek to provide a better representation of resources, a detailed classification of the allocation criteria that have been used to evaluate resources is missing. In this paper, we provide an initial proposal for a resource allocation criteria taxonomy. This taxonomy is based on an extensive literature review that yielded 2,370 articles regarding the existing resource allocation approaches within the business process management discipline, from which 95 articles were considered for the analysis. The proposed taxonomy points out the most frequently used criteria for assessing the resources from January 2005 to July 2016.

Keywords: Human resource allocation, Resource management, Allocation criteria, Business processes management

1 Introduction

Business process management (BPM) is a discipline that combines distinct approaches that can be used for the design, execution, control, measurement and optimization of business processes [2]. According to [2], there are four business process perspectives: a) control-flow perspective; b) organizational perspective; c) case perspective; and d) time perspective. Traditionally, research efforts have been focused on the control-flow perspective [23]. Recent research has evidenced the need to provide better support to the organizational perspective [6, 18, 19], also known as resource perspective [10]. This need is motivated due to the focus that this perspective has on the analysis of resources that participate in the execution of process activities (whether they are human or not human resources [17]), and how this analysis could help to improve the process efficiency [5]. Typically, the management of resources in BPM could be separated into two task: resource assignment and resource allocation [9]. On the one hand,

^{*} Corresponding author. Email: m.arias@uc.cl

resource assignment has to do with the definition at design-time of the conditions that resources must fulfill in order to become candidates to work on the process activities. On the other hand, resource allocation refers to the designation of the actual process activities executors at run-time. Specifically, the task of human resource allocation (we focus on human resources, hereinafter referred to as 'resources') represents a key aspect within the organizational perspective, seen as an important challenge from the BPM discipline [21, 23]. The Process-Aware Information Systems (PAISs) [1] provide several information systems that support the execution of business processes. One particular type of information systems is Business Process Management Systems (BPMSs). BPMSs focus on coordinating and automating business processes in such way that the work is executed at the right time and the allocated resources are available and authorized to perform the work [10]. For instance, Bizagi (bizagi.com) provides an organizational metamodel including properties such as: role, organizational position, and expertise criteria. Moreover, Bonita BPM (bonitasoft.com) presents an organizational metamodel considering properties such as: role, organizational position, and authorization criteria. One salient feature of Bonita BPM is the use of memberships and organizational groups to handle resource allocation. Distinct articles have focused on supporting the organizational perspective through metamodels that perform the modeling and visualization of requirements related to the resources. Within these proposed metamodels, there has been an important interest in the relationship between resources and their competencies (e.g., expertise), and the organizational structure (e.g., role or organizational position) [8, 16, 19]. Although the proposed metamodels have sought to represent resources, they have not considered a broader set of criteria for assessing resources and determining their suitability to participate in the execution of process activities. Despite the focus on process management and the adequate selection of resources to be allocated, the currently provided support by BPMSs to the organizational perspective has room for improvement [11, 19], as a way to advance PAISs towards the concept of Process- and Resource-Aware Information System(PRAIS) [7].

In order to contribute to improve this shortfall, our work is a first step towards a taxonomy of resource allocation criteria. We conducted a Systematic Literature Review (SLR) [13] of the research area of resource allocation within BPM. Further details about the systematic review process performed can be found in [4]. From 2,370 articles, we systematically analyzed a set of 95 articles that pertain to the period between January 2005 and July 2016. This work may serve as a reference map of resource-related criteria that are commonly assessed in existing allocation approaches, a classification that has not been reported so far. This proposed classification may help those in charge of the process-oriented systems to identify what other resource-related information is relevant to capture, a frequent question from the point of view of the BPMSs [10]. This paper is organized as follows: Section 2 presents the resource metamodels found in the reviewed literature. In Section 3 we identify and classify distinct types of resource allocation criteria based on the 95 articles. Finally, Section 4 outlines the conclusions and future work.

2 Resource Metamodels in Human Resource Allocation

Diverse approaches have been presented to face the challenge of improving the resource allocation task. These approaches have proposed allocation methods using techniques and algorithms belonging to different fields, such as machine learning [12], dynamic programming [14], or computational optimization [22]. Within these allocation methods, different metamodels (see Table 1) have been proposed with the aim of providing a better representation of resource-related information, identifying criteria and other properties that are considered when allocating resources to activities.

 Table 1. Identified resource metamodels

Name	Description	Criteria Used
Human Resource MetaModel (HRMM) [16]	Allows the association of roles and resources. Provides a competence metamodel for the modeling of resources, considering their competences, skills and knowledge.	Role, Authorizations, Organizational posi- tion, and Expertise
Resource perspective extension to the BPMN 2.0 metamodel [19]	Supports the resource requirements modeling and visualization. It includes three main aspects: structure, authorization, and work distribution, focuses on the distribution of work corresponding to atomic activities among resources.	Role, Authorizations, Organizational posi- tion, Experience, and
Organizational metamodel [17]	Is an organizational metamodel used to define a set of workflow resource patterns.	Role, Organizational position, experience and Expertise
Resource Perspective Implementation Metamodel (RPIMet) [20]	Enables the representation of entities provided by WfMSs to implement the resource perspective aspects. Is based on the generic elements: Resource, ResourceParameter and ResourceRole defined by BPMN.	Urganizational nosi-
Organisational metamodel [18]	Metalmodel used to express organisational information, which is able to cover the workflow patterns.	Identity, Roles or Groups, and Relation
Metamodel for resource modeling [15]	Represents a hybrid meta model, which is based on a previous analysis of organizational metamodels within workflow management systems.	position, Organiza-
UML organizational model [3]	Is a UML class diagram that includes it corresponding XML rendition, which can be used for the specification of workflow resources.	structure, Availabil-

After reviewing these proposed metamodels, we found that they have prioritized the inclusion of criteria such as: organizational structure, roles, authorization aspects, experience, and expertise level as well as resource constraints. However, in the literature, we found that there are other criteria being used by the allocation methods to assess resources. These criteria have not been mapped to date yet, and they need to be reported in order to suggest information that should be recorded in the BPMSs to those in charge of the process-oriented systems.

3 Types of Resource Allocation Criteria

In this paper, we conducted a SLR following the guidelines proposed by Kitchenham [13] in order to identify, evaluate, and classify the resource allocation criteria followed to allocate resources. The guidelines include four main steps. First, the definition of the research question. In our case, we created the following research question: What resource-related criteria have been used to perform the resource allocation? The second step refers to conduct the search. This step involves the definition of the keywords to perform the search. The set of selected keywords was: resource patterns, resource allocation, resource assignment, staff assignment, task allocation, task assignment, process mining, and business process management. Third, we proceed with the screening of papers. We reviewed the title, abstract and keywords of the selected papers, and evaluated them according with our predetermined inclusion or exclusion criteria. Fourth, the data extraction step focused on answering the aforementioned research question. Initially, we evaluated 2,370 articles. We excluded any duplicate papers identified. Thus, a set of 1,950 papers was obtained. Then, a total of 95 articles met our selection criteria, which were used for further analysis in the data extraction step. For details on the SLR protocol, we refer the reader to [13]. Our aim is to propose a classification that may serve as a reference to improve the capture of information that is currently carried out through the BPMSs. Our classification gather criteria associated with resource properties, which have been proposed by methods of resource allocation throughout the analysis period. It should be noted that we only considered resource-related information. Attributes related with task information, time information, and process information are not part of the scope of this work, but will be studied in greater detail in order to extend the proposed taxonomy. The proposed classification is presented in Figure 1.

We considered the following allocation criteria:

Amount: Number of resources required.

Experience: Resource experience executing process activities (e.g., years). **Expertise** The expertise category includes the following criteria:

- Cognitive attributes: Cognitive characteristics a resource might possess, such as sentience, volition and causability.
- Expertise: Resources capabilities, competences, skills, and knowledge.
- Functional attributes: Resource behavior characteristics (e.g., adaptability).
- Non-functional attributes: Other attributes that may influence the performance of the resources (e.g., environmental factors and technical aids).
- Work variety: Analyses similar and dissimilar tasks done by a resource in a day.




Fig. 1. Proposed taxonomy

Preference: Resource preference for executing certain types of activities.

Previous performance: The previous performance category includes the following criteria:

- Cost: Evaluates cost attributes such as resource total cost.
- Feedback: resources give their feedbacks in order to accept or refuse the work done by other resources.)
- Quality: Evaluates the satisfaction level of the executed process activities (e.g., customer satisfaction).
- Reputation: Evaluates resource social standing within a resource network based on previous performance.
- *Time*: Evaluates time attributes such as execution time.
- WF execution history: Audit trails provided by workflow management systems.

Role: The role category includes the following criteria:

- Authorizations: Constraints regarding to a specific person or role to allocate, and authorization privileges.
- Location: Resources has attributes to describe its location and the structure of activities that it can perform in a workflow.
- Organizational position: Constraints regarding to a specific organizational position.
- Responsibilities: Set of responsibilities on a resource to perform specific activities.

Social context: The social context category includes the following criteria:

- Collaboration: Measures resource collaboration and cooperation.
- Compatibility: Measures resource compatibility.

- Influence: Degree of the influence that on resource has on some other resources.
- Social position: Resources form various social communities and take different social positions while participating in business processes.

Trustworthiness: Notion of trust degree that a resource may have to execute activities.

Workload: The workload category includes the following criteria:

- Availability: An existing resource is available, busy or not available.
- Occupancy: Consider the actual idle level of a resource. consider how a resource is occupied executing activities.
- Workload: The capacity of resources to perform specific activities is constrained.
- Work Schedule: Refers to different types of work schedules (e.g., shift plan, part time or full time).

We have classified the selected articles according to these proposed categories. Figure 2 shows the distribution of the articles according to each criterion. It should be noted that more than one criterion might have been used in a single article. We can see that eight criteria (30% of total) are the most relevant ones considering their occurrence frequency. We found that *Authorizations*, *Availability*, and *Expertise* are the most frequently used criteria, which are consistent with the criteria priorities proposed by the existing metamodels (shown in Section 2). However, we found that 18 criteria (70% of total) correspond to criteria that, despite their occurrence frequency are not very high (5 times or less), represent a key insight in regard to the importance of evaluating other criteria when selecting resources.




Fig. 2. Amount of articles per resource allocation criteria

Regarding these categories, we note that Role (68 times) and Workload (66 times) group criteria are the most often used by resource allocation approaches (59%, 134 times). Meanwhile, the remaining 7 categories represent 41% (92 times), where we can highlight *Previous performance* (36 times), *Expertise* (33 times), and *Social context* (8 times) as categories that are becoming prominent

within approaches to allocate resources. Figure 3 provides a breakdown of the resource allocation categories per year. We can see that Workload and Role categories have been present in studies throughout the period of analysis. It is possible to highlight that in the period 2010 to 2016, there is a high concentration of allocation methods that used criteria regarding Workload, Role, and Expertise categories. This concentration confirms the preference to use criteria associated with the organizational position, availability and workload, and the resource suitability for allocation considering their expertise level. In addition, it is relevant to see how other criteria such as Previous performance, Social context, and Preference begin to be more popular criteria in the last 5 years of the period analysis. Specifically, we can highlight Cost as an emerging criterion (22 times). Some human resources are more expensive than others, and cost being used as an important property to assess within the allocation approaches, and as a major decision criteria in large companies.



Fig. 3. Breakdown of the resource allocation categories per year

We can conclude that resource allocation approaches have mainly considered criteria such as Authorization or Expertise because these criteria are commonly found in meta models and through BPMSs. However, there is a trend towards multi-criteria approaches to allocate resources, where using distinct criteria than those frequently used to assess resources is an increasingly common practice in order to select the most suitable resources for executing process activities. Evaluate Previous performance and consider social context attributes are two categories that being more popular in recent years. From our point of view, Expertise, Role

and Workload are criteria that will continue to be used. Nonetheless, there has been a need to combine these criteria with other criteria in order to optimize the resource allocation task, due to the evolution about how resources are being evaluated in organizations. Identify other criteria associated with time, process and task information, and propose allocation mechanisms that allow prioritizing and recommending resources are challenges that require further research.

Due to space constraints, further details about followed review process and the entire classification can be found in [4].

4 Conclusions and Future Work

In this paper, we have identified and classified the main criteria used in resource allocation approaches in order to improve this task within organizations. We focused on considering those criteria that are related to the properties of human resources. We compiled a SLR of a set of 95 articles that proposed resource allocation approaches. We intend that the proposed classification can help those in charge of the process-oriented systems to discover common information used to evaluate resources. In addition, this classification may suggest the capture and integration of new resource-related information as part of BPMS systems, which may serve to improve the support currently given to the organizational perspective. As future work, we plan to extend the proposed classification, including other evaluation criteria, evaluate the effectiveness of the criteria on resource allocation, as well as formalize the allocation criteria identified in a taxonomy of resource allocation criteria.

Acknowledgments. This project was partially funded by the Ph.D. Scholarship Program of CONICYT Chile (Doctorado Nacional/2014-63140181) and by Universidad de Costa Rica.

References

- 1. van der Aalst, W.M.P.: Process-aware information systems: Lessons to be learned from process mining. ToPNoC 2, 1–26 (2009)
- 2. van der Aalst, W.M.P.: Process Mining Data Science in Action. Springer (2016)
- van der Aalst, W.M.P., Kumar, A., Verbeek, H.M.W.E.: Organizational modeling in UML and XML in the context of workflow systems. In: Proceedings of the 2003 ACM Symposium on Applied Computing (SAC), March 9-12, 2003, Melbourne, FL, USA. pp. 603–608 (2003)
- Arias, M., Munoz-Gama, J., Sepúlveda, M.: Introducing a taxonomy of human resource allocation criteria. tech. rep., Pontificia Universidad Católica, Santiago, Chile (June 2017), http://processmininguc.com/publications/
- Arias, M., Rojas, E., Lee, J., Munoz-Gama, J., Sepúlveda, M.: Resrec: A multicriteria tool for resource recommendation. In: BPM Demos 2016. pp. 17–22 (2016)
- Cabanillas, C.: Enhancing the management of resource-aware business processes. AI Commun. 29(1), 237–238 (2016)
- 7. Cabanillas, C.: Process-and resource-aware information systems. In: EDOC 2016, Vienna, Austria, September 5-9, 2016. pp. 1–10 (2016)

- 8. Cabanillas, C., Resinas, M., Cortés, A.R.: RAL: A high-level user-oriented resource assignment language for business processes. In: BPM Workshops 2011. pp. 50–61 (2011)
- 9. Cabanillas, C., Resinas, M., del-Río-Ortega, A., Cortés, A.R.: Specification and automated design-time analysis of the business process human resource perspective. Inf. Syst. 52, 55–82 (2015)
- 10. Dumas, M., Rosa, M.L., Mendling, J., Reijers, H.A.: Fundamentals of Business Process Management. Springer (2013)
- 11. Havur, G., Cabanillas, C., Mendling, J., Polleres, A.: Resource allocation with dependencies in business process management systems. In: BPM Forum 2016, Rio de Janeiro, Brazil, September 18-22, 2016. pp. 3–19 (2016)
- Kim, A., Obregon, J., Jung, J.: Constructing decision trees from process logs for performer recommendation. In: BPM Workshops 2013. pp. 224–236 (2013)
- Kitchenham, B.: Procedures for performing systematic reviews. Keele, UK, Keele University 33(2004), 1–26 (2004)
- Koschmider, A., Liu, Y., Schuster, T.: Role assignment in business process models.
 In: BPM Workshops 2011. pp. 37–49 (2011)
- 15. zur Muehlen, M.: Organizational management in workflow applications issues and perspectives. Information Technology and Management 5(3-4), 271–291 (2004)
- Oberweis, A.: A meta-model based approach to the description of resources and skills. In: Sustainable IT Collaboration Around the Globe. AMCIS 2010, Lima, Peru, August 12-15, 2010. p. 383 (2010)
- 17. Russell, N., van der Aalst, W.M.P., ter Hofstede, A.H.M., Edmond, D.: Workflow Resource Patterns: Identification, Representation and Tool Support. In: Pastor, O., e Cunha, J.F. (eds.) CAiSE 2005. LNCS, vol. 3520, pp. 216–232. Springer (2005)
- 18. Schönig, S., Cabanillas, C., Jablonski, S., Mendling, J.: A framework for efficiently mining the organisational perspective of business processes. DSS 89, 87–97 (2016)
- 19. Stroppi, L.J.R., Chiotti, O., Villarreal, P.D.: A bpmn 2.0 extension to define the resource perspective of business process models. In: XIV CIbSE. pp. 25–38 (2011)
- Stroppi, L.J.R., Chiotti, O., Villarreal, P.D.: Defining the resource perspective in the development of processes-aware information systems. Inf Softw Technol 59, 86–108 (2015)
- 21. Yaghoubi, M., Zahedi, M.: Resource allocation using task similarity distance in business process management systems. In: ICSPIS 2016. pp. 1–5. IEEE (2016)
- 22. Zhao, W., Yang, L., Liu, H., Wu, R.: The optimization of resource allocation based on process mining. In: ICIC. pp. 341–353 (2015)
- 23. Zhao, W., Zhao, X.: Process mining from the organizational perspective. Advances in Intelligent Systems and Computing pp. 701–708 (2014)